

Urgent or emergency care?

Conditions	Urgent care	Emergency care
Allergies	X	
Allergic reactions		X
Asthma attack (mild wheezing)	X	
Asthma attack (wheezing/trouble breathing)		X
Bites/stings	X	
Broken bone (visible, obvious deformity)		X
Broken bone	X	
Burn (minor)	X	
Burn (serious, including eyes, electrical or acid burns, infection or blister)		X
Cast-related problems (after hours)		X
Cold/cough	X	
Cut (minor)	X	
Cut (bleeding that won't stop)		X
Dehydration		X
Diarrhea	X	
Earache/ear infection	X	
Fainting		X
Fever (child is older than 3 months and has no other medical problems)	X	
Fever (child is younger than 3 months)		X
Flu	X	
Head injury (no loss of consciousness or other concerns)	X	
Head injury (loss of consciousness, confusion, vomiting)		X
Laryngitis	X	
Migraine headache		X
Nose bleed (not resulting from an injury to the face/nose)	X	
Pink eye	X	
Poisoning		X
Rash	X	
Respiratory conditions/wheezing/pneumonia/croup (without severe breathing problems)	X	
Respiratory conditions/wheezing/pneumonia/croup (with severe breathing problems)		X
Seizure		X
Shock		X
Sinus infection	X	
Sore throat	X	
Sprain/strain	X	
Stomachache	X	
Swallowed object (no problems swallowing)	X	
Swallowed object (trouble swallowing)		X
Urinary tract infection	X	
Vomiting (not as a result of injury)	X	

CookChildren'sSM

cookchildrens.org/urgentcare